	Application No.	Applicant(a)
	Application No.	Applicant(s)
Madian of Allamak list.	10/051,609	LAUMAN ET AL.
Notice of Allowability	Examiner	Art Unit
	Andrew M. Gilbert	3767
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to the after final amendr	ment filed 8/3/2006.	
2. The allowed claim(s) is/are 8-12,56 and 57.		
 3. ☐ Acknowledgment is made of a claim for foreign priority uner a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 		
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	5 D Notice of Informal D	atout Application (DTO 450)
1. Notice of References Cited (PTO-892)		atent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat	
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	8), 7. 🛭 Examiner's Amendo	nent/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ☑ Examiner's Stateme9. ☐ Other	ent of Reasons for Allowance
KEVIN C. SIRMONS SUPERVISORY PATENT EXAMINE	ER /	Andrew Gilbert 8/15/2006
Ma. ~ []		

Application/Control Number: 10/051,609 Page 2

Art Unit: 3767

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Robert W. Connors on 8/15/2006.

The application has been amended as follows:

- In the after final amendment filed on 8/3/2006, the newly submitted
 "Amendments to the Claims" omitted the listing of claims 1-7. Claims
 1-7 have been previously been cancelled and Mr. Robert W. Connors
 acknowledged that claims 1-7 are cancelled from the application.
- 2. The following is an examiner's statement of reasons for allowance: The subject matter of the independent claims could either not be found or was not suggested in the prior art of record. The subject matter not found was an enclosure removably accepting a disposable unit for flowing fluids through a disposable dialysis unit and an infrared heater having an emitter, a housing enclosing the emitter with an opening configured to face the disposable unit, an infrared transmissive material covering the opening, and an infrared reflector position opposite of the infrared emitter such that the disposable unit is between the emitter and the reflector so that the infrared energy from the emitter is directed toward the infrared transmissive material in combination with the other elements in the claims.

Application/Control Number: 10/051,609

Art Unit: 3767

Page 3

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Andrew M. Gilbert whose telephone number is (571) 272-7216. The examiner can normally be reached on 8:30 am to 5:00 pm Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kevin Sirmons can be reached on (571)272-4965. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Andrew Gilbert

SUPERVISORY PATENT EXAMINER

MENIN C. SIBMONS

NOMENT | STENING

NOMENT | STE